

Message

From: Andrae, Bill/MKE [William.Andrae@jacobs.com]
Sent: 11/25/2020 7:17:42 PM
To: Giancarlo, Mary Beth [Giancarlo.Marybeth@epa.gov]
CC: Reif, Marty/WDC [Marty.Reif@jacobs.com]; Skwarski, Alison/DET [Alison.Skwarski@jacobs.com]; Klinkhamer, Christopher [Klinkhamer.Christopher@epa.gov]
Subject: RE: VE Study Comments File

Thanks Mary Beth. We'll get it cleaned up.

Happy Thanksgiving!

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O: +01.414.847.0341 | M: +01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

From: Giancarlo, Mary Beth <Giancarlo.Marybeth@epa.gov>
Sent: Wednesday, November 25, 2020 10:48 AM
To: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Cc: Reif, Marty/WDC <Marty.Reif@jacobs.com>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>; Klinkhamer, Christopher <klinkhamer.christopher@epa.gov>
Subject: [EXTERNAL] RE: VE Study Comments File

Hi Bill – please see revised version of the VE study comments table attached. Feel free to further tweak the format as you wish. The U.S. EPA/Jacobs Comment and Recommendation column needs more work. I would like it to start with Accept or Reject, and then add the justification, taking into account CoA and FE's comments. Also, "Amendment #4" doesn't mean anything to the stakeholders, so please re-word it to say something like "included in the scope of work (or field sampling plan) for the next field investigation" or however you want to say it.

Thanks!
-MB

From: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Sent: Monday, November 23, 2020 8:42 AM
To: Giancarlo, Mary Beth <Giancarlo.Marybeth@epa.gov>
Cc: Reif, Marty/WDC <Marty.Reif@jacobs.com>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>
Subject: VE Study Comments File

Good morning Mary Beth – Attached is the file with our responses to the City of Akron's comments on the VE study which we have previously discussed. I did add the input from our dredging SMEs on the two comments (highlighted in yellow) that we wanted their input on. Both comments focus on contractor efficiency and we feel this touches on "means and methods" and the decision on using more barges or using more upland space ultimately needs to be left up to the Contractor.

We also added FirstEnergy's comments to the file and provided responses to those comments as well.

Please let us know if you have any questions.

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O:+01.414.847.0341 | M:+01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.